



Balaji

INDUSTRIES

Mfgs. of : Industrial Safety Wears





Fire proximity Suit
Testing And Certification As Per EN 1486



Aramid Suit



Aluminised Aramid Suit
Testing And Certification As Per EN 1486



Fire Entry Suit
Testing And Certification As Per EN 1486



**Non Aluminised
Fire Entry Suit**



Turnout Gear
Testing And Certification As Per EN 469



Turnout Gear
Testing And Certification As Per EN 469



IFR Coverall
Testing And Certification As Per
EN ISO 11612, ISO 11611, NFPA 2112.



**Fire Retardant
Coverall**



Asbestos Suit



Leather Welding Suit



PVC Chemical Suit

Fire And Welding Blanket



Fire Blanket
Thickness :
0.5 mm / 0.8 mm & 1 mm



**Vermiculite Coated
Ceramic Blanket With**
Thickness :
SS Wire : 1.5 mm / 2 mm & 3 mm



Carbon blanket
Thickness :
1.5 mm



**Aluminumized Rescue
Blanket**



Ceramic Blanket With
Thickness :
SS Wire : 1.5 mm / 2 mm & 3 mm



Hi Silica Welding Blanket
Thickness :
0.8 mm



Silicone Coated Welding Blanket
Thickness :
0.5 mm / 0.8 mm & 1 mm

Garment



**Aluminumized
Coat**



**Aluminumized
Back Open Jacket**



**Aluminumized
Apron**



Aramid Apron



**PVC
Apron**



Aramid Jacket



**Aluminumized
Jacket**



Aramid Trousers



**Aluminumized
Trousers**



Aramid Hood



**Aluminumized
Hood**



**Asbestos
Hood**



**Balaclava
Hood**



Aramid Sleeves



**Aluminumized
Sleeves**



**Aluminumized
Leg Guard**



**Aramid
Leg Guard**



Aramid Shoes



**Aluminumized
Shoes**

Gloves



Aramid Hand Gloves



Aluminized Hand Gloves



Aluminized Aramid Hand Gloves



Aramid Leather Hand Gloves



Knitted Aramid Hand Gloves With Cotton Supported Lining
Gauge : 7 GG (2 Ply)
Size : 10', 12' & 14'
Certification : EN 388 / EN 407



Knitted Aramid Hand Gloves
Gauge : 10 GG / 7 GG
Size : 10' 12' & 14'
Certification : EN 388



Preox / Aramid With Cotton
Gauge : 7 GG (2Ply)
Size : 10' 12' & 14'
Certification : EN 407



Aramid Hand Sleeves
Size : 16', 18', 22' & 24'
Certification : EN 388 / EN : 407



Aluminized Gloves With Aramid Palm



High Performance Polyethylene With e-glass in Core / S.S. Wire in Core
Gauge : 10 GG
Size : 16', 18', 22' & 24'
Certification : EN 388



High Performance Polyethylene With e-glass in Core / S.S. Wire in Core
Gauge : 10 GG
Size : 10', 12', & 14'
Certification : EN 388



Size & Product Can Be Customised As Per Customer Requirement



A-101 FFP1



A-44 FFP1



A-410 FFP1



A-420 FFP1



A-95 FFP1



balaji.industrialsafety@gmail.com
sales@balajiindustrialsafety.com

www.balajiindustrialsafety.com
balajiindustrialsafety.co.in

@bi_safety1 • balajiindustrialsafety

https://in.linkedin.com/in/balajiindustrialsafety

https://www.facebook.com/balajiindustrialsafety



Sagar

+91 97739 48339
+91 93239 48339
+91 - 22- 2311 2716

S. M. Narayankar

+91 93242 97137
+91 81690 53486

Sales Office : 50, Nagdevi Street, 1st Floor, Room No. 12, Shree Shripal Bhavan, Masjid Bunder, Mumbai - 400 003.

Works 1 : Shop No.5, Michael Patel Chawl, 197, A-B, Dharavi Main Road, Dharavi Koliwada, Mumbai - 400 017.

Works 2 : Plot No. A-324, TTC Industrial Area at Village Mahape, Tal. & Dist. Thane., Navi Mumbai - 400 701.